

# SPRING DEALS INCREDIBLE LOW PRICES!

HURRY! LIMITED TIME OFFERS END 31ST OCTOBER!



Jumbo Long
Ball End Wobble
Hex Key Set with
Magnetic End Tips\*

**Metric 13pc set** 

- 2, 2.5, 3, 4, 5, 6,7, 8, 10, 12, 14,17 & 19mm
- \*Note: 2 & 2.5 Not magnetic
- ✓ Cr-V

I/N: PT30512



\$**99** 



9½L Pnuematic & Manual Pumping Action

LIMITED OFFER

- T-handle action
- Easy pour no spill emptying
- Extracts only
- ✓ Suction hose 16.5mm x 1.5m
- √ 4 suction tubes 5.8m x 760mm, 6.2mm x 760mm, 7.0mm x 900mm, 9.0mm x 420mm

I/N: PT50504

Not suitable for acids, petrol or harsh corrosives





### **27pc Oil Filter Removal Kit**

- Dual & single lip design fits 37 different spin-on filters and 3 are designed for cannister nuts on cartridge filters
- Application chart included

I/N: PT50406



# S229

# 10L Air Operated Oil & Fluid Extractor & Filler

- ✓ Air operated design eliminates the need for pumping to operate
- Ideal for lubricants, anti-freeze, diesel, water & other non-caustic low vicosity liquids

I/N: PT50523



- ✓ Suits BMW, Citroen, Fiat, Ford, Audi, Volvo, Honda, Lancia, Mazda, Mercedes Benz, Nissan, Peugeot, Renault, Saab, Toyota, Vauxhall/Opel and Volkswagen
- ✓ Specially designed to remove drain and filler plugs on engine oil sumps, back axles, differentials and gearboxes on most modern vehicles

I/N: PT10254

SEE INSIDE FOR EVEN MORE GREAT DEALS

**HURRY! WHILE STOCK LASTS!** 

OFFERS END 31st OCTOBER

TO ORDER SPEAK TO YOUR LOCAL STOCKISTS TODAY

# EXCLUSIVE TRADE DEALS

30pc Hex Key Set





# END WORBLE

### LIFETIME

- ✓ 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2", 9/16", 5/8" & 3/4"
- \*Note: 5/64" & 3/32" Not magnetic

I/N: PT30511







- √3/8" Dr 3, 4, 5, 6, 8, 9 & 10mm
- ✓ 1/2" Dr 12, 14 & 16mm
- S2 steel

I/N: PT11900





LIFETIME



- 1/4" Dr 37mm 1.5, 2, 2.5, 3, 4 & 4.5
- ✓ 3/8" Dr 48mm 5, 6, 8, 10 &12mm
- S2 steel

I/N: PT11902





15pc Metric: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 & 10mm

15pc SAE Long Shank: 0.028", 0.035", 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8"

Cr-V





METRIC







Double ended bits are quick & easy to change over

I/N: A10H01 (Green) Sizes: T8 & T9, T10 & T15, T20 & T25, T27 & T30, T35 & T40



Sizes: 1.5 & 2, 2.5 & 3.5, 3 & 4, 4.5





### **SAE 8pc 3-way T-handle Hex Head Spinner Wrench Set**

- Spinning sleeve allows for faster
- The sliding 3-way design Top Handle has hex ends for greater flexibility
- 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8"





### I/N: PT10829

### **COLOUR** Hex Keys Sets



### 9pc Set

1.5, 2, 2.5, 3, 4, 5, 6.8 & 10mm

S2 Steel







### SAE

### 9pc Set

1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8"







# $\mathsf{HETOK}^{\scriptscriptstyle{\$}}$











# Patented bits design great for stripped, seized, rusty or damaged screws & bolts

Allows various angles of tilt without damage to the screw head or loss of strength

**S2 STEEL** 

Toothed hex shape bites onto stripped, seized, rusty or damaged screws & bolts allowing easy removal

### 42pc Hetok® **Combination Bits Set**



✓ 24pc 30mm Long with 10mm Hex bits: 4, 5, 6, 7, 8, 10 & 12mm Hetok® Hex T20, T25, T30, T40, T45, T50, T55 & T60 Star M5, M6, M8, M10 & M12 Spline

**Phillips PH2 & PH3** 8 & 10mm Blade

✓ 16pc 75mm Long with 10mm Hex bits:

**Hetok®** 

**Hex Key Set with** 

✓ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"

**Ball Type End** 

I/N: PT50551

Hetok® Hex 5, 6, 8 & 10mm Star T20, T25, T30, T40, T45,

T50, T55 & T60 M6, M8, M10 & M12

Adaptors: 3/8" & 1/2" with 10mm Hex

S2 steel





SAE

LIFETIME

# 11pc Hetok® **Hex Bits Socket Set**

- 1/4" Dr 1.5, 2, 2.5, 3, 4 &
- 3/8" Dr 5, 6, 8, 10 & 12mm
- S2 steel

I/N: PT11920



✓ 3/8" Dr 5, 6, 8, 10 & 12mm

✓ S2 steel

I/N: PT11921



9pc **Hetok**®



**Ball Type End** 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10mm











# **ENDS OCTOBER 31st**



# STAR, SPLINE & TAMPER BITS





### 9pc 1/4" Dr **Tamper Star Socket Set**

- ✓ 50mm
- ✓ T8, T10, T15, T20, T25, T27, T30, T40
- ✓ Cr-V

I/N: PT11700

SPLINE BIT 1/2

OCKET





### 10pc 1/4" & 3/8" Dr **Tamper Star Socket Set**

- 1/4" Dr 35mm T10, T15, T20, T25, T27 & T30
- ✓ 3/8" Dr 50mm T40, T45, T50 & T55

I/N: PT11701

Star Bit

Socket





### 1/4" & 3/8" Dr **Star Socket Set**

- ✓ 1/4" Dr 37mm T10, T15, T20, T25, T27 & T30
- ✓ 3/8" Dr 48mm T40, T45, T47, T50 & T55

I/N: PT11702



## **Spline Bit Sockets**





### 1/2" Dr Impact 78mm Indiviual Sockets

✓ Cr-Mo



I/N: PT12441\_\_M10

I/N: PT12442 M12

I/N: PT12443 M14

I/N: PT12444\_\_\_M16

I/N: PT12445 \_\_\_ M18

### **Star Bit Sockets**





### 1/2" Dr 78mm **Indiviual Sockets**



I/N: PT11740 .T25 I/N: PT11741 T30

I/N: PT11742. T40 I/N: PT11743. T45

T50 I/N: PT11744

I/N: PT11745 **T55** I/N: PT11746 **T60** 

I/N: PT11748 T70

### 11pc 3/8" Dr E-Star Socket Set

E5, E6, E7, E8, E10, E11, E12, E14, E16, E18 & E20

✓ Cr-V I/N: PT11800





### LIMITED OFFER **7pc 3/8" Dr Ribe Bit Socket Set**

- Suits head bolts found on
- RM4, RM5, RM6, RM7, RM8, RM9 & RM10
- ✓ Cr-V

I/N: PT12000



### **Extra Long Tamper Star Key Set**

Colour coded for easy identification





### EXTRA LONG STAR END

### **9pc Star Set**

T10, T15, T20, T25, T27, T30, T40, T45 & T50

S2 Steel







OFFER

9pc 1/2" Dr **Impact 78mm Spline Bits** Socket Set

- M4. M5. M6. M8. M9. M10. M12. M14 & M16
- ✓ SNCM-V

I/N: PT12101







88888

00000

# LIMITED

14pc 1/4", 3/8" & 1/2" Dr **E-Star Socket Set** 

- ✓ 1/4" Dr E4, E5, E6, E7, E8
- ✓ 3/8" Dr E10, E11, E12, E14, E16 ✓ 1/2" Dr E18, E20, E22 & E24
- ✓ Cr-V

I/N: RG7589







# 40pc 10mm Hex.

IDEAL FOR EUROPEAN. Star & Spline Bits Set ASIAN & LOCAL VEHICLES

- √ 3/8" & 1/2" adaptors
- ✓ 30mm & 75mm lengths
- Star T20, T25, T30, T40, T45, T50 & T55
- ✓ Hex 4, 5, 6, 7, 8, 10 & 12mm
- Spline M5, M6, M8, M10 & M12
- ✓ Cr-V







# **EXCLUSIVE TRADE DEALS**



### **6L Pump Action** Oil & Fluid **Extractor**

- Simple, no mess extraction without the bulky container
- Easy, short stroke pump action
- ✓ Ergonomic T-handle
- Solid PVC bottle with carry
- Stopper clamp on hose to reduce spillage after removing the tube

I/N: PT50524



### 7½L Transmission Oil Filler


- ✓ Increases efficiency & reduces oil change times
- Also excellent for use on diffs & transfer cases
- Automatic flow stop when transmission is full to avoid spillages
- ✓ Filler hose 16.5mm x 1.5m
- Easy pour, no spill emptying

Not suitable for brake fluid, petrol or corrosives!





Manual pumping system with automatic shut-off valve & 10 transmission filler adaptors to suit most popular transmissions







### **Fluid Extractor Syringe**

- ✓ 400mm suction hose
- ✓ Oils, water & under bonnet fluids
- Viton seals
- ✓ Disasembles for easy cleaning

Not suitable for acids, petrol or harsh corrosives

I/N: PT50506





IDEAL FOR SMALL RESERVOIRS

- ✓ 200mm suction hose
- ✓ Oils, water & under bonnet fluids
- Viton seals

**Syringe** 

✓ Disasembles for easy cleaning

Not suitable for acids, petrol or harsh corrosives

I/N: PT50511



Hurry, Don't Miss Out!

SPEAK TO YOUR LOCAL STOCKIST



### 71/2L Manual **Pumping Action**

- ✓ T-handle action
- Easy pour no spill emptying
- Extracts only
- ✓ Suction hose -16.5mm x 1.5m
- ✓ 2 suction tubes -6.2mm x 760mm -9.0mm x 420mm

Not suitable for brake fluid, petrol or corrosives I/N: PT50502



### **4L Low Profile** Fluid **Extractor**

- Ergonomic T-handle
- ✓ Improves efficiency when changing oil
- Easy, short stroke pump action
- ✓ 100cm flexible suction hose
- Trouble-free, no mess pouring spout

Not suitable for acids, petrol or harsh corrosives

I/N: PT50521





# **Oil Extractor**

- Attaches to battery with clamps
- ✓ 5 amp
- ✓ 3L per minute flow rate for oil at 40 °C
- ✓ 2 suction hoses -6mm x 1m, -12mm x 1.5m

Not suitable for acids, petrol or harsh corrosives.

I/N: RG9170

# <u>Pumps & Grease Guns</u>





### 13mm (1/2") **Brass Jiggle Syphon**

✓ 1.75m anti-static hose with 13mm (1/2") internal diameter

I/N: RG2844



### **Push Fill Bearing Grease Packer** Fills bearings up to 89mm

✓ No-mess, efficient grease packing into new bearings & old grease pushed out of re-usable bearings for refitting

I/N: PT50703



### **Rotary Drill Pump**

- Delivers 900L per hour at 2000RPM
- Maximum pumping height above pump 6m vertically

Not suitable for brake fluid, petrol or corrosives!

I/N: PT50820



### **Hand Held Automatic Liquid Pump**

- Fast transfer 7-9LPM (1.8-2.3gpm)
- **Extended pumping** 300L from 2 DD batteries supplied
- Suitable for multiple liquids like petrol, kerosine, heating oil, diesel, non-corrosive cleaning solvents

I/N: PT50821



# **Liquid Pump**

- ✓ Transfers & syphons
- For water, oil, petrol, diesel & lubricating oil

Not suitable for chemical solvents or corrosive liquids

I/N: RG6129



### 38 LPM (10 gallons) **Aluminium Rotary** 20 to 200L **Drum Hand Pump**

- ✓ Ideal for oil, petrol, diesel & lubricating oil
- **Rotary hand winder** delivers 38LPM
- Solid aluminium construction
- Sediment screen on pick-up pipe

Not suitable for chemical solvents or corrosive liquids

I/N: PT50501



- 60cm hose with locking clips
- Interchangeable 75mm & 140mm suction hose to suit different height bottles
- Convenient & versatile for hard to reach places
- Quick-fit nozzle

I/N: PT50509



- ✓ Bulk loading
- 16oz cartridge loading
- ✓ Delivers 4500psi (310 bar)
- ✓ Delivers 0.7gm per stroke
- √ 1/8" x 28pt thread
- ✓ Nozzle can also be attached horizontally
- Easy-grip knurled barrel

I/N: A480



# Hose

- Heavy duty
- Allows access to confined spaces
- ✓ 1/8" x 28pt thread
- 4,500PSI

I/N: RG5060



- √ 1/8" x 28PT thread
- ✓ Bulk loading
- 4-Jaw coupler
- ✓ Easier to use due to better leverage
- Vented head cap for easy filling

I/N: KL-488NL





- ✓ Ideal for confined space greasing
- ✓ Capacity 80cc
- ✓ External taper degree/caliber: 0.5mm
- ✓ 50 tapered nozzle with 1mm outlet
- ✓ Working pressure 1000psi
- Chrome plated finish

I/N: PT50750

# EXCLUSIVE TRADE DEALS





### 3-in-1 **Funnel**

- 130mm x 210mm (5" x 8") diameter
- ✓ Length 200mm
- Mesh filter
- Straight extension
- ✓ 30° Angled extension
- **Outlet diameter** 26mm
- ✓ Extension outlet diameter 22mm

I/N: RG6009



### 110mm **Easy Fill Long Neck Funnel**

- ✓ Funnel length 460mm
- ✓ Funnel outlet diameter 9mm

I/N: RG6270



# **Funnel Set**

Diameters: 110mm (41/4") 90mm (3½") 65mm (21/2") 45mm (2")

I/N: RG6007





### 150mm (6") **Auto Trans** Funnel

- 150mm (6") diameter
- 450mm (18") long flexible nozzle

I/N: RG6008





- 100mm (4") diameter
- √ 435mm (17") long
- Nozzle with cap & 7.5mm outlet

I/N: PK40105



- 100mm (4") diameter
- ✓ 370mm (14½") long
- ✓ Flexi-neck
- ✓ Nozzle with cap & 14mm outlet

I/N: PK40106



### 80mm (3") **Funnel with Lids**

- 80mm (3") diameter
- ✓ 230mm (9") long
- ✓ Nozzle with cap & 8mm outlet

I/N: PK40103



- 100mm (4")
- diameter
- 280mm (11") long
- ✓ Nozzle with cap & 22mm outlet

I/N: PK40104



### 100mm (4") Angled **Long Neck Funnel**

- ✓ 1100 x 80mm (4" x 3")
- ✓ Length 285mm (11¼")
- ✓ Outlet diameter 12mm

I/N: PK40108



- ✓ 250mm (10") diameter
- ✓ 220mm (8½") long
- ✓ 24mm ID neck
- ✓ 50mm 0D neck with drum attachment

I/N: PK40102



- ✓ Thinners ✓ Paint
- ✓ Oil ✓ Water
- ✓ Brake fluid ✓ Transmission

With measurements in mL I/N: PT42200 500mL NOW \$5

1L NOW \$6 I/N: PT42201 2L NOW \$8 I/N: PT42202

3L NOW \$11 I/N: PT42203.

5L NOW \$16 I/N: PT42204

# **ENDS OCTOBER 31ST**



# SPRAYERS & OIL TOOLS



- Pump up action for easy spraying
- ✓ Adjustable brass mist & jet nozzle

Not suitable for brake cleaning products or harsh solvents

I/N: RG5296



# 5L Jug with Flap Lid

- PERFECT FOR HARD TO REACH AREAS
- ✓ Oil, Water✓ Brake fluid
- ✓ Transmission
- ✓ Extendable & flexible spout
- ✓ Measurements in 1L increments
- ✓ Spout extends to 400mm

I/N: PK40600





### Twin Handle Jugs with Screw on Lid

- Any non-corrosive liquid
- Removable spout
- Measurements in 1L & Quart increments

With 16cm removable spout

I/N: PT42231

10L NOW \$54



### **1L Spray Bottle**

✓ With 100mm measurements

Not suitable for brake cleaning products or harsh solvents

I/N: RG5070





### 500mL Oil Can

✓ With solid nozzle

I/N: RG5066

240mL Oil Can

✓ With flexible nozzle

I/N: RG5053



With 16cm removable spout

I/N: PT42230

5L **NOW <b>\$46** 

# Hurry, Don't Miss Out!

SPEAK TO YOUR LOCAL STOCKIST TO SECURE YOUR DEAL TODAY



# LIMITED OFFER \$23

### **15mL Precision Oiler**

- Smooth, push button actuator & needle type injection, provides total control when placing lubricant
- 40mm applicator needle is ideal for spot lubricating power tools, hinges, model airplanes, models, sewing machines, fine machinery & more
- Reaches tight or hard to access areas

I/N: PT41802



### Super Heavy Duty 200mL Oil Can

- ✓ Solid 80mm nozzle
- Professional quality

I/N: PT41801

### Super Heavy Duty 500mL Oil Can

- ✓ Solid 80mm nozzle
- Professional quality

I/N: PT41800



- Flexible tube & adjustable nozzle allows for deep cleaning in hard to reach areas
- ✓ Ideal for dusting, cleaning & degreasing parts
- Perfect for cleaning fluids, engine degreaser & non-flammable solvents
- ✓ 320mm flexible tube with 50mm adjustable nozzle
- ✓ Airline fitting, working pressure 70 - 110psi (5-8bar)

I/N: PT70300

# EXCLUSIVE SPRING DEALS



### **Nylon** Strap Wrench



- ✓ Fits 150mm (6") Filters
- Adjustable length nylon strap

I/N: RG5214







### **Oil Filter Wrench** Fits filters 63-102mm

- ✓ Fits filters 63-102mm (2½"- 4")
- ✓ With adaptor 1/2" to 3/8"

I/N: RG5004





### 1/2" Dr Heavy Duty Steel **Cartridge Nut Removal Cup** Suits Tovota 4cvl. 6cvl & 8cvl **Engines**

- Suits the nut on the original oil filter cartridge on the engine
- Suits most Corolla, Camry, Lexus & V8 Landcruisers
- One tool fits all engines
- ✓ Has lug holes to suit both oil filter cartridge nuts
- ✓ Designed for cartridge nuts NOT spin on filters









Drip tray

I/N: RG6130



400mm (16") **Oil Filter Claw Plier** 

Fits filters 90 – 130mm (31/2" - 51/4")

I/N: RG5061





### 1/2" Dr Forged Aluminium **Cartridge Nut Removal Cup Suits Toyota 6cyl & 8cyl Engines**

- ✓ 64.5mm 14 flute design with 9mm rim & cap tab grooves
- OE fit tool

I/N: PT504146479



OFFER





64.5mm 14 flute design with 70mm rim & cap tab grooves

✓ OE fit tool I/N: PT504146470



DIRECT FIT

### I/N: PT5046414



### 23pc 1/2" Dr Aluminium Cup **Style Oil Filter Removal Kit**

- Fits most popular sized petrol or diesel spin-on filters & many cartridge nuts used in passenger, light commercial & heavy duty applications
- Lightweight & strong aluminium alloy
- Heavy duty nut head can be used with a 1/2" DR ratchet or use the 19mm spanner for confined spaces
- Supplied with both a 1/2" Dr ratchet & 12pt 19mm spanner to complete the kit

I/N: PT50401



✓ Complete with rubber O-ring

Suits Models: E89, F32, F10, F33, F22, F34, F30, F36, F31, Z4

Thread: M24 | Pitch: 1.5mm I/N: PK21700

### 5pc for Mercedes For use with an oil

drain plug key for plastic oil gear box



LIFETIME

- **Mercedes Benz** Genuine W205 C63 AMG S
- **Engine Oil Drain Plug** 2015-2017 0029902017

I/N: PK21703



rubber O-rina

Replaces: Ford 0EM 1830727 I/N: PK21701





Suits Models: Focus III, C Max/Grand C Max, Kuga II, Mondeo V, S-Max **Replaces: Peugeot Citroen OEM** 9801444780

I/N: PK21702



### **5pc for VAG**

✓ Plastic sump plug Suits: VAG group OEM 06L103801, for later VAG 1.8 & 2.0 TSI/TFSI petrol engines VAG CAM Cover on 1.6 & 2.0 TDI diesel engines

Suits Models: Audi 2012 Onwards, Skoda Octavia, VW: Golf, Beetle, Jetta, Passat, Santana

I/N: PK21704

LIMITED Offer

\$19



